


Application No. 09/854,181

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A liquid crystal composition ~~which comprises one or more compounds comprising a compound of the formula:~~



wherein:

x is 0 or 1;

R is $C_nF_{2n+1}C_mH_{2m}$

where

m is an integer greater than 3 and less than or equal to 10; and

n is an integer from 1 to 10 and m + n is less than or equal to 20 and wherein R is optionally attached to ring A with an oxygen;

Rings A, B and C are unsubstituted 6 carbon aromatic rings;

d is 0 or 1;

each of $A^1, A^2, A^3, A^4, B^1, B^2, B^3, B^4, C^1, C^2, C^3,$ and C^4 is independently CH, N, or CF, provided no more than 2 of $A^1, A^2, A^3,$ and A^4 is N, no more than 2 of $B^1, B^2, B^3,$ and B^4 is N, and no more than 2 of $C^1, C^2, C^3,$ and C^4 is N;

D is $-COO-C(=O)O-$, $-OC(=O)-$, $-CH_2CH_2-$, $-CH=CH-$ or $-C\equiv C-$;


Y is an alkyl or fluorinated alkyl group having from one to six carbon atoms; and

~~R¹ is an unsubstituted~~ a straight chain C_{2-12} alkyl, C_{2-12} alkenyl, or C_{2-12} alkynyl group with from 2 to 12 carbon atoms containing at least one Si atom, where one or more non-neighboring CH_2 groups can be replaced with an $-O-$, $-S-$, $-Si(R')_2-$, $-Si(R')_2-(CH_2)_p-$

Application No. 09/854,181

$\text{Si}(\text{R}')_2$ -, where p is an integer ranging from 1 to 6, $-\text{Si}(\text{R}')_2-\text{O}-$, or $-\text{Si}(\text{R}')_2-\text{O}-\text{Si}(\text{R}')_2-\text{O}-$, a cis or trans double bond or a triple bond, wherein each R' , independent of other R' , is independently an alkyl or fluorinated alkyl group having from one to six carbon atoms provided that n is not an integer from 4 to 10 and m is not an integer from 4 to 10 when Y is CH_3 or CF_3 .

2. (currently amended) A The liquid crystal composition of Claim 1, which exhibits a de Vries smectic A phase which comprises one or more compounds of the formula:



wherein:

R is $\text{C}_n\text{F}_{2n+1}$, C_mH_{2m} , where m is an integer greater than 3 and less than or equal to 10; n is an integer from 1 to 10 and m + n is less than or equal to 20 and wherein R is optionally attached to ring A with an oxygen;

Rings A, B and C are 5- or 6- carbon aromatic rings each optionally substituted with from one to four fluorines and wherein one or two CH groups in the rings can be substituted with a N, an O or a S group;

d is 0 or 1;

D is a linker group selected from the group consisting of $-\text{COO}-$, $-\text{OOC}-$, $-\text{CH}_2-\text{CH}_2-$, a cis or trans double bond, or a triple bond, when d is 0 rings B and C are linked through a single bond;

Y is an alkyl or fluorinated alkyl group having from one to six carbon atoms; and

R^1 is a nonchiral tail group selected from linear or branched alkyl, groups where one or more non-neighboring CH_2 groups can be replaced with an $-\text{O}-$, $-\text{S}-$, $-\text{Si}(\text{R}')_2-$, $-\text{Si}(\text{R}')_2-(\text{CH}_2)_p-\text{Si}(\text{R}')_2-$, where p is an integer ranging from 1 to 6, $-\text{Si}(\text{R}')_2-\text{O}-$, or $-\text{Si}(\text{R}')_2-\text{O}-\text{Si}(\text{R}')_2-\text{O}-$, a cis or trans double bond or a triple bond, wherein each R' , independent of other R' , is an alkyl or fluorinated alkyl group having from one to six

Application No. 09/854,181

~~carbon atoms and wherein the R¹ tail group is optionally substituted with one or more fluorines and wherein R¹ contains from 1 to 20 carbon atoms, which composition exhibits a de Vries smectic A phase.~~

3. (currently amended) The liquid crystal composition of claim 2 1, which exhibits V-shaped switching when incorporated as an aligned layer in an analog liquid crystal device.

4. (canceled) ~~The liquid crystal composition of claim 2 wherein the core rings A, B and C are selected from the group consisting of phenyls, fluorine substituted phenyls, pyridines and pyrimidines.~~

5. (currently amended) The liquid crystal composition of claim 4 1, wherein d is 1 and D is -COO- or -OOC-.


6. (original) The liquid crystal composition of claim 5 wherein Y is an alkyl or perfluorinated alkyl group having 1 to 3 carbon atoms.

7-10. (canceled)

11. (withdrawn) The liquid crystal composition of claim 1 wherein d is 1 and D is -CH₂-CH₂-.

12. (currently amended) The liquid crystal composition of claim 1, wherein said composition further comprises a second compound further comprising one or more components having any of the formulas:

Application No. 09/854,181

wherein

where x and y , independent of x and y in other components, are integers ranging is an integer from 1 to 10 inclusive; R' is a lower alkyl group having from 1 to 6 carbon atoms; R is an achiral or racemic alkyl group having from 3 to 20 carbon atoms; R^{F} is a perfluorinated alkyl group or partially fluorinated group having 1 to 20 carbon atoms;

y is an integer from 0 to 10;

R' is C_{1-6} alkyl;

R^{a} is C_{3-20} alkyl or C_{1-20} partially fluorinated or perfluorinated alkyl;

R^{b} is C_{1-20} alkyl or C_{1-20} partially fluorinated or perfluorinated alkyl;


A^2 and A^4 are CH or N; and

B^1 and B^3 are CH or N.

13. (withdrawn) The mixture of claim 12 wherein the one or more components of the listed formulas are present in a total amount of about 25% by weight or more of the mixture.

Application No. 09/854,181

14. (currently amended) The liquid crystal composition of claim 12 further comprising ~~one or more components having a compound of the formulas:~~



wherein

where x is 0 or 1; ~~independent of x in other components;~~

h is an integer from 1 to 10;

R is an C₃₋₂₀ alkyl; ~~group having from 3 to about 20 carbon atoms;~~


R^F is C₁₋₂₀ a perfluorinated or partially fluorinated alkyl; ~~group or partially fluorinated group having 1 to 20 carbon atoms~~

A^x are CH or N;


when A^x are CH, then B^y are N; and

when A^x are N, then B^y are CH.


15. (currently amended) The liquid crystal composition of claim 12 further comprising ~~one or more components having a compound of the formulas:~~



Application No. 09/854,181

wherein~~where j is an integer that ranges from 2 to 10, inclusive, and~~~~R is C₃₋₂₀ an alkyl group having from 3 to 20 carbon atoms~~x is 0 or 1;A^x are CH or N;when A^x are CH, then B^y are N; andwhen A^x are N, then B^y are CH.

16. (currently amended) The liquid crystal composition of claim 15 further comprising a compound of the formula ~~one or more components having the formula:~~


whereinx is 0 or 1;R is C₃₋₂₀ alkyl; andR' is a lower alkyl group having from 1 to 6 carbon atoms.

17. (withdrawn) The liquid crystal composition of claim 12 which has a total number of components of 5 or more.


Application No. 09/854,181

18. (canceled) ~~The liquid crystal composition of claim 1 which comprises a first chiral nonracemic component which comprises one or more chiral nonracemic compounds of the formula:~~

19. (currently amended) The liquid crystal composition of claim 16 further comprising a second chiral nonracemic component which comprises ~~one or more a chiral compound of the formula nonracemic compounds selected from the group of compounds having~~ formulas:



Application No. 09/854,181



or an enantiomer or a mixture ~~enantiomers thereof, wherein where~~


R is an C_{2-20} alkyl; ~~group having from 2 to about 20 carbon atoms;~~

R* is a chiral ~~nonracemic~~ branched C_{3-20} alkyl group; ~~having from 3 to about 20 carbon atoms;~~ and


R^f is C_{3-20} ~~a perfluoroalkyl perfluoro~~ or a partially fluorinated alkyl ~~groups having from 3 to about 20 carbon atoms.~~

20. (withdrawn) The liquid crystal composition of claim 19 wherein the second chiral nonracemic component is present in the mixture at a level of at least about 10% by weight.

21. (currently amended) The liquid crystal composition of claim 19 further comprising an achiral or racemic component selected from the group consisting of a compound of the formula: which comprises one or more compounds having the formulas



Application No. 09/854,181



Application No. 09/854,181

and a mixture thereof, wherein

~~z is 1 or 0;~~

~~x and y, independent of x and y in other components range from 1 to 20;~~

~~h is an integer ranging from 1-10;~~

~~j is an integer ranging from 2-20;~~

~~x is 0 or 1;~~

~~R is C₁₋₂₀ an alkyl group (linear or branched) having from 3 to 20 carbon atoms;~~

~~R^F is a partially fluorinated or perfluorinated C₁₋₂₀ alkyl; tail group and R' is a lower alkyl group having from 1 to 6 carbon atoms~~

A^{*} are CH or N;

when A^{*} are CH, then B^y are N; and

when A^{*} are N, then B^y are CH.

22. (withdrawn) The liquid crystal composition of claim 21 which contains a total number of components of 5 or more.

23. (withdrawn) The liquid crystal composition of claim 21 which contains at least one component of each formula listed.

24. (canceled)

25. (previously presented) The liquid crystal composition of claim 2 wherein Y is an alkyl or fluorinated alkyl group having from 1 to 3 carbon atoms.

26. (original) The liquid crystal composition of claim 25 wherein Y is CF₃.

27. (original) The liquid crystal composition of claim 26 wherein R¹ is an alkyl group.

Application No. 09/854,181

28. (original) The liquid crystal composition of claim 27 wherein R^1 is an alkyl group having from 4 to 8 carbon atoms.

29. (currently amended) The liquid crystal composition of claim 26 wherein ~~the rings A, B and C are phenyl rings or fluorine-substituted phenyl rings~~ each of $A^1, A^2, A^3, A^4, B^1, B^2, B^3, B^4, C^1, C^2, C^3$, and C^4 is independently CH or CF.


30. (original) The liquid crystal composition of claim 29 wherein d is 1 and D is -COO- or -OOC-.

31. (currently amended) The liquid crystal composition of claim 26 wherein at least one of ~~rings A, B or C is a pyridine or a pyrimidine ring~~ $A^1, A^2, A^3, A^4, B^1, B^2, B^3, B^4, C^1, C^2, C^3$, and C^4 is N.

32. (withdrawn) The liquid crystal composition of claim 31 wherein d is 1 and D is -COO- or -OOC-.


33. (canceled) ~~The liquid crystal composition of claim 26 wherein R^1 contains one or more Si atoms.~~

34. (currently amended) The liquid crystal composition of claim ~~33~~ 26, wherein R^1 ~~has comprises a moiety of the formula:~~



where p is 1-6 and R' is ~~a small C_{1-3} alkyl group having from 1 to 3 carbon atoms.~~


35. (currently amended) The liquid crystal composition of claim ~~33~~ 26, wherein R^1 ~~contains~~ comprises a moiety of the formula:



where R' is ~~a small C_{1-3} alkyl group having from 1 to 3 carbon atoms.~~


Application No. 09/854,181

36. (currently amended) The liquid crystal composition of claim ~~33~~ 26, wherein: R^1 ~~contains~~ comprises a moiety of the formula:



where R' is ~~a small~~ C_{1-3} alkyl group having from 1 to 3 carbon atoms.

37. (currently amended) The liquid crystal composition of claim ~~33~~ 26, wherein: R^1 ~~contains~~ comprises a moiety of the formula:




where R' is ~~a small~~ C_{1-3} alkyl group having from 1 to 3 carbon atoms.

38. (canceled)

39. (canceled)

40. (currently amended) The liquid crystal composition of claim ~~38~~ 1, wherein R^1 ~~contains a~~



~~group~~ comprises a moiety of the formula $-\text{Si}(\text{CH}_3)_2-\text{O}-\text{Si}(\text{CH}_3)_2-$.

41. (currently amended) The liquid crystal composition of claim 40 wherein rings A, B and C are ~~phenyl rings or fluorine-substituted phenyl rings~~ each of $A^1, A^2, A^3, A^4, B^1, B^2, B^3, B^4, C^1, C^2, C^3$, and C^4 is independently CH or CF.

42. (canceled) ~~The liquid crystal composition of claim 40 wherein R is Rf .~~

[Illogical]

Application No. 09/854,181

43. (canceled) ~~The liquid crystal composition of claim 1 wherein R is an ether having the formula $C_qH_{2q+1}-O-C_rH_{2r}$, where q and r are integers from 1 to 20. [Illogical]~~

44. (currently amended) The liquid crystal composition of claim 43 1, wherein Y is CF_3 .

45. (canceled) ~~The liquid crystal composition of claim 44 wherein R⁺ is an alkyl group. [Redundant/illogical]~~

46. (canceled) ~~The liquid crystal composition of claim 45 wherein rings A, B and C are selected from the group consisting of phenyls, fluorine substituted phenyls, pyridines and pyrimidines. [Redundant]~~

47. (currently amended) The liquid crystal composition of claim 46 44, wherein rings A, B and C are selected from the group consisting of phenyl rings, or fluorine substituted phenyl rings each of A¹, A², A³, A⁴, B¹, B², B³, B⁴, C¹, C², C³, and C⁴ is independently CH or CF.

48. (canceled) ~~The liquid crystal composition of claim 1 wherein R is an ether having the formula: $C_qH_{2q+1}-O-C_rH_{2r}-O-C_sH_{2s}$, where q, r and s are integers from 1 to 20. [Illogical]~~

49. (previously presented) The liquid crystal composition of claim 2 which exhibits a Ps of 27 nC/cm² or greater.

50. (previously presented) The liquid crystal composition of claim 2 which exhibits a Ps of 40 nC/cm² or greater.

Application No. 09/854,181


51. (previously presented) The liquid crystal composition of claim 2 which when introduced as an aligned layer in a liquid crystal device exhibits an electric rise time of 150 μ sec or less.

52. (previously presented) The liquid crystal composition of claim 2 which exhibits viscosity of 200 mP*S or less.


53. (previously presented) The liquid crystal composition of claim 2 which exhibits a smectic A phase which extends over a range of 20 °C or more.

54. (previously presented) The liquid crystal composition of claim 2 which exhibits both a smectic A and a smectic C phase.

55. (currently amended) The liquid crystal composition of claim 54 which exhibits a smectic C phase with a temperature range encompassing room temperature.



56. (currently amended) A compound having the formula:



Application No. 09/854,181

wherein:

x is 0 or 1;

R is $C_nF_{2n+1}C_mH_{2m}$

where

m is an integer greater than 3 and less than or equal to 10; and

n is an integer from 1 to 10 and $m+n$ is less than or equal to 20 and wherein R is optionally attached to ring A with an oxygen;

Rings A, B and C are unsubstituted 6-carbon aromatic rings;

each of $A^1, A^2, A^3, A^4, B^1, B^2, B^3, B^4, C^1, C^2, C^3$, and C^4 is independently CH, N, or CF,

provided no more than 2 of A^1, A^2, A^3 , and A^4 is N, no more than 2 of B^1, B^2, B^3 , and

B^4 is N, and no more than 2 of C^1, C^2, C^3 , and C^4 is N;

d is 0 or 1;

D is COO; when d is 0 rings B and C are linked through a single bond

$-C(=O)O-$, $-OC(=O)-$, $-CH_2-CH_2-$, $-CH=CH-$ or $-C=C-$;

Y is an alkyl or fluorinated alkyl group having from one to six carbon atoms; and

R' is an unsubstituted straight chain C_{2-12} alkyl, C_{2-12} alkenyl, or C_{2-12} alkynyl group with

from 2 to 12 carbon atoms containing at least one Si atom, where one or more non-

neighboring CH_2 groups can be replaced with an $-O-$, $-S-$, $-Si(R')_2-$,

$-Si(R')_2-(CH_2)_p-Si(R')_2-$, where p is an integer ranging from 1 to 6, or $-Si(R')_2-O-$,

$-Si(R')_2-O-Si(R')_2-O-$, a cis or trans double bond or a triple bond; wherein each R',

independent of other R', is independently an alkyl or fluorinated alkyl group having

from one to six carbon atoms; provided that n is not an integer from 4 to 10 and m is

not an integer from 4 to 10 when Y is CH_3 or CF_3 .

57. (previously presented) The compound of claim 56 wherein Y is CF_3 .

58-59 (canceled)

60. (previously presented) The compound of claim 56 wherein R is $C_4F_9C_4H_8-$.

Application No. 09/854,181

61. (previously presented) The compound of claim 56 wherein R is $C_4F_9C_6H_{12}$.
62. (canceled)
63. (currently amended) An electrooptical device comprising an aligned liquid crystal layer which comprises the liquid crystal composition of claim 2 1.
64. (original) The electrooptical device of claim 63 wherein the device exhibits bistable switching.
65. (original) The device of claim 64 which is an analog device exhibiting V-shaped switching.
66. (currently amended) An electrooptical device comprising an aligned layer which comprises the liquid crystal composition of claim 2 1 and which can be operated at low driving voltages at high frequency and using a symmetrical driving scheme for DC balance.
67. (currently amended) A method for making a bistable liquid crystal electrooptical device which comprises the step of aligning a liquid crystal composition of claim 2 1 which exhibits a de Vries smectic A phase in a bookshelf alignment in the device.
68. (currently amended) A method for making an electrooptical device that exhibits analog switching which comprises the step of aligning a liquid crystal composition of claim 2 1 which exhibits V-shaped switching in the device.
69. (withdrawn) A method for making a liquid crystal composition which exhibits both bistable switching and V-shaped switching which comprises the step of combining one or

Application No. 09/854,181

more chiral nonracemic compounds of claim 1 with one or more liquid crystal compounds which have one or both tail groups that are partially fluorinated or that contain one or more Si atoms.

70. (withdrawn) The method of claim 69 wherein about 25% to about 65% of a chiral nonracemic compound of claim 1 is combined to form the liquid crystal composition.